

2019 Measures in the ASPS QCDR

MIPS/QPP #	Measure Download QPP Clinical Quality Measure Specifications (formerly known as registry measures) Download Claims Specifications *! Topped Out- 7 point cap	NQS Domain *^ High Priority	In Plastic Surgery Measure Set*?
021	Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin *!	Patient Safety *^	Y
023	Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis *!	Patient Safety *^	Y
046	Medication Reconciliation Post-Discharge*!	Communication and Care Coordination	N
047	Care Plan	Communication and Care Coordination	N
110	Preventive Care and Screening: Influenza Immunization	Community/Population Health	N
111	Pneumococcal Vaccination Status for Older Adults	Community/Population Health	N
112	Breast Cancer Screening	Effective Clinical Care	N
128	Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan	Community/Population Health	N
130	Documentation of Current Medications in the Medical Record *!	Patient Safety *^	Y
131	Pain Assessment and Follow-Up *!	Community/Population Health	N
134	Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan	Communication and Care Coordination *^	N
137	Melanoma: Continuity of Care – Recall System	Communication and Care Coordination *^	N
138	Melanoma: Coordination of Care	Community/Population Health	N
226	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	Effective Clinical Care *^	Y
236	Controlling High Blood Pressure	Patient Safety *^	N
238	Use of High Risk Medications in the Elderly *!	Patient Safety	
265	Biopsy Follow-Up *!	Communication and Care Coordination *^	N
317	Preventive Care and Screening: Screening for High Blood Pressure and Follow-up Documented	Effective Clinical Care	Y
355	Unplanned Reoperation within the 30 Day Postoperative Period	Patient Safety *^	Y
356	Unplanned Hospital Readmission within 30 Days of Principal Procedure	Effective Clinical Care *^	Y
357	Surgical Site Infection (SSI)	Effective Clinical Care *^	Y
358	Patient-Centered Surgical Risk Assessment and Communication	Patient and Caregiver Centered Experience and Outcomes *^	Y

2019 Measures in the ASPS QCDR

374	Closing the Referral Loop: Receipt of Specialist Report	Communication and Care Coordination *^	N
402	Tobacco Use and Help with Quitting Among Adolescents (age 12-20) – new for 2017	Community/Population Health	N
431	Preventive Care and Screening: Unhealthy Alcohol Use: Screening and Brief Counseling	Community/Population Health	N
* The 2019 Plastic Surgery Measure Set is a grouping of MIPS measures determined by CMS, with input from ASPS, as being reportable by most plastic surgeons. MIPS eligible clinicians are not required to report on the specialty measure sets, but they are suggested measures for the specialty			
Non MIPS #	Measure	NQS Domain	
	Download Non-MIPS/QCDR Measure Specifications		
US Wound Registry (CDR 1)	Adequate Off-loading of Diabetic Foot Ulcer at each visit**	Effective Clinical Care	N/A
American Society of Plastic Surgeons (ASPS 5)	Breast Reconstruction: Return to OR**	Patient Safety	N/A
American Society of Plastic Surgeons (ASPS 7)	Rate of Blood Transfusion for Patients Undergoing Autologous Breast Reconstruction**	Patient Safety	N/A
American Society of Plastic Surgeons (ASPS 8)	Coordination of Care for Patients Undergoing Breast Reconstruction**	Communication and Care Coordination	N/A
American Society of Plastic Surgeons (ASPS 9)	Length of Stay Following Autologous Breast Reconstruction**	Efficiency and Cost Reduction	N/A
American Society of Plastic Surgeons (ASPS 10)	Patient Satisfaction with Information Provided during Breast Reconstruction**	Person and Caregiver-Centered Experience and Outcomes	N/A
American Society of Plastic Surgeons (ASPS 11)	Operative Time for Autologous Breast Reconstruction**	Patient safety	N/A
American Society of Plastic Surgeons (ASPS 12)	Unplanned hospital admission after panniculectomy**	Effective Clinical Care	N/A
American Society of Plastic Surgeons (ASPS 16)	Airway assessment for patients undergoing rhinoplasty**	Patient Safety	N/A

2019 Measures in the ASPS QCDR

American Society of Plastic Surgeons (ASPS 17)	Patient satisfaction with rhinoplasty procedure**	Person and Caregiver Centered Experience and Outcomes	N/A
American Society of Plastic Surgeons (ASPS 18)	Shared decision making for postoperative management of discomfort following rhinoplasty**	Patient Safety	N/A
American Society of Plastic Surgeons (ASPS 19)	Pre-surgical discussion of motivations and outcomes for patients undergoing rhinoplasty**	Person and Caregiver Centered Experience and Outcomes	N/A
American Society of Plastic Surgeons (ASPS 20)	Wound complications after primary panniculectomy in patients with BMI \geq 30**	Patient Safety	N/A
American Society of Plastic Surgeons (ASPS Q11)	Seroma rate after primary abdominoplasty^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q12)	Wound disruption rate after primary abdominoplasty^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q12)	VTE Screening for patients undergoing panniculectomy or abdominoplasty^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q16)	Breast Reconstruction: Flap Loss^	N/A	N/A

**Indicates a new measure that does not yet have a benchmark or measure that was revised substantially to negate the original benchmark. Reporting these measures can only earn 3 points each in 2019 for small practices (practices over 15 clinicians earn only 1 point). However, you can report as many measures as you wish. The top 6 will be used to calculate your MIPS Score. Any additional data will help in determining benchmarks for the future.

^Indicates measures in the QCDR for Quality Improvement purposes only. These are not available for MIPS reporting.