

2020 Measures in the ASPS QCDR

MIPS/QPP #	Measure  2020 QPP specifications will be available at <a href="https://qpp.cms.gov/about/resource-library">https://qpp.cms.gov/about/resource-library</a>  *! Topped Out (7 points max)	NQS Domain  *^ High Priority	In Plastic Surgery Measure Set? *
021	Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin *!	Patient Safety *^	Y
023	Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis *!	Patient Safety *^	Y
047	Care Plan	Communication and Care Coordination *^	N
110	Preventive Care and Screening: Influenza Immunization	Community/Population Health	N
111	Pneumococcal Vaccination Status for Older Adults	Community/Population Health	N
112	Breast Cancer Screening	Effective Clinical Care	N
128	Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan	Community/Population Health	N
130	Documentation of Current Medications in the Medical Record *!	Patient Safety *^	Y
134	Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan	Community/Population Health	N
137	Melanoma: Continuity of Care – Recall System	Communication and Care Coordination *^	N
138	Melanoma: Coordination of Care	Communication and Care Coordination *^	N
226	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	Community/Population Health	Y
236	Controlling High Blood Pressure	Effective Clinical Care *^	N
238	Use of High Risk Medications in the Elderly*!	Patient Safety *^	
265	Biopsy Follow-Up *!	Communication and Care Coordination *^	N
317	Preventive Care and Screening: Screening for High Blood Pressure and Follow-up Documented	Effective Clinical Care	Y
355	Unplanned Reoperation within the 30 Day Postoperative Period	Patient Safety *^	Y
356	Unplanned Hospital Readmission within 30 Days of Principal Procedure	Effective Clinical Care *^	Y
357	Surgical Site Infection (SSI)	Effective Clinical Care *^	Y
358	Patient-Centered Surgical Risk Assessment and Communication	Patient and Caregiver Centered Experience and Outcomes *^	Y
374	Closing the Referral Loop: Receipt of Specialist Report	Communication and Care Coordination *^	N
402	Tobacco Use and Help with Quitting Among Adolescents (age 12-20) – new for 2017	Community/Population Health	N
431	Preventive Care and Screening: Unhealthy Alcohol Use: Screening and Brief Counseling	Community/Population Health	N

2020 Measures in the ASPS QCDR

\* The 2019 Plastic Surgery Measure Set is a grouping of MIPS measures determined by CMS, with input from ASPS, as being reportable by most plastic surgeons. MIPS eligible clinicians are not required to report on the specialty measure sets, but they are suggested measures for the specialty

Non MIPS #	Measure <a href="#">Download Non-MIPS/QCDR Measure Specifications</a>	NQS Domain  *^High Priority	
US Wound Registry (CDR 1)	Adequate Off-loading of Diabetic Foot Ulcer at each visit**	Effective Clinical Care	N/A
American Society of Plastic Surgeons (ASPS 5)	Breast Reconstruction: Return to OR**	Patient Safety *^	N/A
American Society of Plastic Surgeons (ASPS 7)	Rate of Blood Transfusion for Patients Undergoing Autologous Breast Reconstruction**	Patient Safety *^	N/A
American Society of Plastic Surgeons (ASPS 8)	Coordination of Care for Patients Undergoing Breast Reconstruction**	Communication and Care Coordination *^	N/A
American Society of Plastic Surgeons (ASPS 9)	Length of Stay Following Autologous Breast Reconstruction**	Efficiency and Cost Reduction *^	N/A
American Society of Plastic Surgeons (ASPS 10)	Patient Satisfaction with Information Provided during Breast Reconstruction**	Person and Caregiver-Centered Experience and Outcomes *^	N/A
American Society of Plastic Surgeons (ASPS 16)	Airway assessment for patients undergoing rhinoplasty**	Patient Safety *^	N/A
American Society of Plastic Surgeons (ASPS 17)	Patient satisfaction with rhinoplasty procedure**	Person and Caregiver Centered Experience and Outcomes *^	N/A
American Society of Plastic Surgeons (ASPS 18)	Shared decision making for postoperative management of discomfort following rhinoplasty**	Patient Safety *^	N/A
American Society of Plastic Surgeons (ASPS 21)	Continuation of Anticoagulation Therapy in the Office-based Setting for Reconstruction After Skin Cancer Resection Procedures**	Patient Safety *^	
American Society of Plastic Surgeons (ASPS 22)	Coordination of Care for Anticoagulated Patients Undergoing Reconstruction After Skin Cancer Resection**	Communication and Care Coordination *^	

2020 Measures in the ASPS QCDR

American Society of Plastic Surgeons (ASPS 23)	Avoidance of Opioid Prescriptions for Reconstruction After Skin Cancer Resection**	Patient Safety *^	
American Society of Plastic Surgeons (ASPS 24)	Visits to the ER or Urgent Care Following Reconstruction After Skin Cancer Resection**	Efficiency and Cost Reduction *^	
American Society of Plastic Surgeons (ASPS 25)	Avoidance of Post-operative Systemic Antibiotics for Office-based Reconstruction After Skin Cancer Resection Procedures**	Effective Clinical Care*^	
American Society of Plastic Surgeons (ASPS 26)	Patient Satisfaction with Information Prior to Facial Reconstruction After Skin Cancer Resection Procedures**	Person and Caregiver Centered Experience and Outcomes *^	
American Society of Plastic Surgeons (ACMS 2)	Closing the Mohs Surgery Referral Loop: Transmission of Surgical Report**	Communication and Care Coordination *^	
American Society of Plastic Surgeons (ASPS Q1)	Seroma rate after primary abdominoplasty ^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q12)	Wound disruption rate after primary abdominoplasty^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q12)	VTE Screening for patients undergoing panniculectomy or abdominoplasty^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q16)	Breast Reconstruction: Flap Loss^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q17)	Operative Time for Autologous Breast Reconstruction^	N/A	N/A
American Society of Plastic Surgeons (ASPS Q18)	Unplanned hospital admission after panniculectomy^	Effective Clinical Care	N/A
American Society of Plastic Surgeons (ASPS Q19)	Wound complications after primary panniculectomy in patients with BMI $\geq 30$ ^	Patient Safety	N/A

2020 Measures in the ASPS QCDR

American Society of Plastic Surgeons (ASPS Q110)	Pre-surgical discussion of motivations and outcomes for patients undergoing rhinoplasty <sup>^</sup>	Person and Caregiver Centered Experience and Outcomes	N/A
--	--	---	-----

**\*\*** Indicates a new measure that does not yet have a benchmark or measure that was revised substantially to negate the original benchmark. Reporting these measures can only earn 3 points each in 2019 for small practices (practices over 15 clinicians earn only 1 point). However, you can report as many measures as you wish. The top 6 will be used to calculate your MIPS Score. Any additional data will help in determining benchmarks for the future.

<sup>^</sup>Indicates measures in the QCDR for Quality Improvement purposes only. These are not available for MIPS reporting.